

# KINDER MORGAN PACIFIC REGION. SUPPLIER DIESEL QUALITY CERTIFICATION

| SUPPLIER:  |   | Date:                                |  |  |  |  |  |
|--|---|--------------------------------------|--|--|--|--|--|
| SOURCED  | THROUGH:  | Shipping Tank:                       |  |  |  |  |  |
| TENDER N   | IO.:  | Date Tested:                         |  |  |  |  |  |
| FLASH PO   | INT (°F)  | (D-93)API Gravity:                   |  |  |  |  |  |
| SULFUR, p  | ppm   | (D-2622, D-4294, D-5453              | 522, D-4294, D-5453, D-7039)   |  |  |  |  |
|  |   | EPA On R                             | Road Diesel Product Code 84  |  |  |  |  |
| Cetane Nun   | nber D-613  |                                      |  |  |  |  |  |
| Cetane Inde  | ex D-976  | <i>OR</i> A                          | romatic Vol% D-1319, D-5186  |  |  |  |  |
|  |   | This product meets fe                | deral requirements for on-highway diesel fuel.   |  |  |  |  |
|  |   | CARB Di                              | iesel Product Code 80  |  |  |  |  |
|  | s product meets<br>mber   | from the CARE                        | (Company Name) Executive Order  B for California motor vehicle diesel fuel including                       |  |  |  |  |
| pro  | This product (Prod.code 80) meets CARB fungible diesel specifications; for all third party terminals, product received into a commingled tank at (Company Name) Terminal has been certified as meeting CARB Regulatory Standards. |                                      |  |  |  |  |  |
| ☐ Thi  | This product assigned a Besignated Filterhality Ellinit as per Cert \$2202 (a)(2) and \$2202 (a)(5).  |                                      |  |  |  |  |  |
| This diesel  | contains no FAN   | ME.                                  | '  |  |  |  |  |
| Authorized   | Signature   |                                      | Date   |  |  |  |  |
| Please provio  | de <u>KM pipeline i</u>   | nput location a copy of this of      | completed report by E-Mail or facsimile at number indicated for each batch                                 |  |  |  |  |
| Location<br>Concord<br>El Paso<br>Richmond<br>Watson | Facsimile<br>(925) 827-297<br>(915) 778-111<br>(510) 232-172<br>(310) 763-169   | 1 (915) 772-7400<br>9 (510) 233-2027 | E-Mail  CCSPEC@Kindermorgan.com  EBSPEC@Kindermorgan.com  RMSPEC@Kindermorgan.com  WASPEC@Kindermorgan.com |  |  |  |  |



# KINDER MORGAN PACIFIC REGION. SUPPLIER MEXICAN DIESEL QUALITY CERTIFICATION

| SUPPLIER:                                | Date:  |  |  |  |  |  |
|--|--|--|--|--|--|--|
| SOURCED THROUGH:                         | Shipping Tank:   |  |  |  |  |  |
| TENDER NO.:                              | Date Tested:   |  |  |  |  |  |
| FLASH POINT (°F)                         | (D-93)API Gravity:   |  |  |  |  |  |
| SULFUR, ppm                              | (D-2622, D-4294, D-5453, D-7039)   |  |  |  |  |  |
| Cetane Number D-613                      | Mexican On Road Diesel Product Code 82  Aromatic Vol% D-1319, D-5186                                     |  |  |  |  |  |
|  | This product meets NOM-16 requirements for Automotive diesel fuel.                                       |  |  |  |  |  |
|  |  |  |  |  |  |  |
| This diesel contains no FAI              | ME.  |  |  |  |  |  |
| Authorized Signature                     | Date   |  |  |  |  |  |
| Please provide KM pipeline tendered:     | input location a copy of this completed report by E-Mail or facsimile at number indicated for each batch |  |  |  |  |  |
| Location Facsimile El Paso (915) 778-111 | Business E-Mail 1 (915) 772-7400 EBSPEC@Kindermorgan.com   |  |  |  |  |  |



# KINDER MORGAN PACIFIC REGION SUPPLIER B-5 DIESEL QUALITY CERTIFICATION

(Shipped on Oregon line only)

| SUPPLIER:                                    |                            |                                |                                  | Date:                                 | _              |
|--|----------------------------|--------------------------------|----------------------------------|---------------------------------------|----------------|
| SOURCED THROUGH                              | [:                         |                                |                                  | Shipping Tank:                        | _              |
| TENDER NO.:                                  |                            |                                |                                  | Date Tested:                          | _              |
| API Gravity:                                 | (D-287)                    |                                |                                  | _                                     |                |
| FLASH POINT (°F)                             | (D-93)_                    |                                |                                  | _                                     |                |
| SULFUR, ppm                                  | (D-2622                    | , D-4294, D-545                | 3, D-7039)                       | _                                     |                |
| FAME, vol%                                   | (D-7371                    | )                              |                                  | _                                     |                |
| CETANE Number                                | (D-613)                    | 0                              | <b>R</b> CETANE Index (D-        | .976)                                 | _              |
|  |                            | 0                              | <b>R</b> AROMATIC Vol%           | (D-1319, D-5186)                      |                |
|  | this product               | meets KMEP sp                  | ecifications for B100 B          |                                       |                |
| Authorized Signature                         |                            |                                |                                  | Date                                  |                |
| Please provide <b>KM pipeli</b><br>tendered: | ne input loca              | <u>tion</u> a copy of this     | completed report by E-N          | Mail or facsimile at number indicated | for each batcl |
| Location Facsi<br>Portland, OR (503)         | <u>imile</u><br>) 224-1448 | <u>Business</u> (503) 224-3390 | <u>E-Mail</u><br><u>PDSPEC@K</u> | indermorgan.com                       |                |



# KINDER MORGAN PACIFIC REGION SUPPLIER B100 BIODIESEL QUALITY CERTIFICATION <sup>1</sup>

| SUPPLIER:   |                         | PRODUCE | R:                |      | _                         |
|---|-------------------------|---------|-------------------|------|---------------------------|
| BILL OF LADING NO:_   |                         | DATE:   |                   |      | _                         |
|   |                         |         | KM Use Or         | nly  | 7                         |
| Flash point °C (°F)   | D-93                    |         | 93° C (199°F) mir | n    |                           |
| Acid number, mg KOH/g   | g D-664                 |         | 0.50 max          |      |                           |
| Cloud point, °C (°F)  | D-2500                  |         | 3° C (37 °F) Win  | nter |                           |
| Water& Sediment, vol %  | 6 D-2709                |         | 0.050 max         |      |                           |
| Visual Appearance   | D-4176                  |         | C & B             |      |                           |
| Free Glycerin, mass %   | D-6584                  |         | 0.020 max         |      |                           |
| Total Glycerin, mass %  | D-6584                  |         | 0.240 max         |      |                           |
| Oxidation stability,<br>Hours @ 110° C (230° F)   | EN-14112                |         | 4 min             |      |                           |
| Sulfur, mass % ppm  | D-5453, D-7039          |         | 11 max            |      |                           |
| <sup>1</sup> Biodiesel produced in Ord<br>This product meets KM a<br>latest revisions of ASTM | specifications for B-10 |         | •                 |      | –<br>fication manual, and |
| We certify the above to be Authorized Signature   | be true and correct     |         |                   |      |                           |
|   |                         |         | Date              |      |                           |

Please provide **KM Location** a copy of this completed report delivered with each rail or road transport delivery.



## KINDER MORGAN PACIFIC REGION SUPPLIER F-76 DIESEL QUALITY CERTIFICATION

| SUPPLIER:                                       | <del> </del>                                   | Date:   |  |  |  |
|---|--|---|--|--|--|
| SOURCED THROUGH:                                | - <del></del>                                  | Shipping Tank:  |  |  |  |
| TENDER NO.:                                     |  | Date Tested:  |  |  |  |
| API Gravity:                                    | (D-287, D-1298, D-4052)                        |   |  |  |  |
| FLASH POINT (°F)                                | (D-93)   |   |  |  |  |
| SULFUR, ppm                                     | (D-1552, D-2622, D-4294)                       |   |  |  |  |
| CETANE Number                                   | (D-613) <i>OR</i> CETANE Index (D-976)         |   |  |  |  |
|   |  |   |  |  |  |
|   |  |   |  |  |  |
| In addition to above K<br>of fuel below 500 ppn |  | -F-16884N or latest revision, with exception to lubricit    |  |  |  |
| Authorized Signature                            |  | Date  |  |  |  |
| Please provide <u>KM pipeline</u>               | input location a copy of this completed report | t by facsimile at number indicated for each batch tendered: |  |  |  |
| Location Facsimile Watson (310) 763-16          |  | <u>Mail</u><br>ASPEC@Kindermorgan.com                       |  |  |  |



# KINDER MORGAN PACIFIC REGION SUPPLIER R99/100 RENEWABLE QUALITY CERTIFICATION <sup>1</sup>

| SUPPLIER:   |   | Date:                                      |                             |  |  |
|---|---|--|-----------------------------|--|--|
| SOURCED THROUGH:                                    | :   | Chinain a Taulu                            |                             |  |  |
| TENDER NO.:   | Date Tested:                              |  |                             |  |  |
| FLASH POINT (°F)                                    | (D-93)                                    | API Gravity:                               |                             |  |  |
| SULFUR, ppm   | (D-2622, D-4294, D-5453, D                | 22, D-4294, D-5453, D-7039)                |                             |  |  |
|   |   |  |                             |  |  |
|   |   | KM Use Only                                |                             |  |  |
| Visual Appearance                                   | D-4176                                    | C & B                                      |                             |  |  |
| Sulfur, mass % ppm                                  | D-5453, D-7039                            | 11 max                                     |                             |  |  |
| This product meets KM s<br>latest revisions of ASTM | -   | lished in Section 6.3 of the pipeline sp   | ecification manual, and the |  |  |
| We certify the above to be Authorized Signature     | pe true and correct.                      |  |                             |  |  |
|   |   | Date                                       |                             |  |  |
| Please provide KM Location                          | a copy of this completed report delivered | with each rail or road transport delivery. |                             |  |  |
| Location Facsimile                                  | Business                                  | <u>E-Mail</u>                              |                             |  |  |

WASPEC@Kindermorgan.com

Watson

(310) 763-1698

(323) 636-4447